



YUZHOU

ELECTRICAL APPLIANCE

CIXI YUZHOU ELECTRICAL APPLIANCE CO.,LTD



Our motto reads:
Satisfy our customers with quality products and service.

Cixi Yuzhou Electrical Appliance Co.,Ltd

Address: no. 146 Xiaotang Road, Hangzhou
Bay New Area, Ningbo, China
Email: Info@Cixiyuzhou.com
Tel: +86 574 63070001

2020-2021

Brief Introduction

The Most Competitive Manufacturer Of The Household Electric Appliance.
----- Cixi Yuzhou Electrical Appliance Co., Ltd

Cixi Yuzhou Electrical Appliance Co., Ltd. established at year - 2013 is a high and new tech enterprise that specializes in designing, manufacturing and selling the Household electric appliance. Such as : Evaporative air cooler, home heater, multi-functional air fryer, etc.

Our factory is located in Cixi City Economic & Technical Development Zone, Ningbo Zhejiang Province, China. It covers an area of 5000 square meters. Yuzhou owns a group of professional product design and electronic technology team, it totally have more than 200 employees. Includes 30 administrators and supervisors. Yuzhou always concentrate upon researching into and developing new products and new technologies, keep renewing and perfecting the product structures. At present, many products have obtained the national patents. All our products pass CE/EMC/CB certification , and with ISO 90001.

Over the years, we adheres to the managing idea of " satisfying the clients " requirements and serving vast

customer. Our products will be standardized and strict tested before being sold. We've established the long-term friendly relationship with customers all around the world .

Our company is with the rich product R&D experience, the trustworthy manufacture technology and quality guarantee capacity to establish and consolidate the world wide business networks. We sell the products far and wide including over 30 countries and regions in South East Asia, the Middle east, Europe, North and South America, etc. our products are well-received by the global customers.

We attribute our success to the supports and cooperation of customers. Our motto reads: Satisfy our customers with quality products and service.

OEM and ODM orders are both welcome!

We are looking forward to the win-win cooperation with you!

Welcome to Ningbo and to our factory for business and sightseeing!



Ultrasonic Atomizer USB Air Humidifier

XC-101



- Atomizer USB Air Humidifier
- VOLTAGE: 5V
- POWER: ≥5W
- ACCESSORY: USB CORD *1
- PACKAGE: BUBBLE BAG , MANUAL BOOK
- PRODUCT DIMENSION: 7.8*7.8*12cm
- PRODUCT G.W./N.W(Kg): 157g/220g
- PACKING SIZE: 9.5*9.5*14.5cm
- CARTON SIZE(CM): 50*50*31cm
- 50PCS/CTN
- CARTON G.W./N.W(Kg): 11kg/13kg

XC-150



- Ultrasonic Atomizer USB Air Humidifier
- VOLTAGE:5V
- POWER:≥5W
- ACCESSORY:USB CORD *1
- PACKAGE:BUBBLE BAG , MANUAL BOOK
- PRODUCT DIMENSION:8.0*8.0*9.2cm
- PRODUCT G.W./N.W(Kg):125g/180g
- PACKING SIZE:10*8.5*10.5cm
- CARTON SIZE(CM):42*44*33cm
- 60PCS/CTN
- CARTON G.W./N.W(Kg):11kg/13kg

XC-213



- Ultrasonic Atomizer with USB
- VOLTAGE:5V
- POWER:≥5W
- ACCESSORY:USB CORD *1
- PACKAGE:BUBBLE BAG , MANUAL BOOK
- PRODUCT DIMENSION:7.5*7.5*13.0cm
- PRODUCT G.W./N.W(Kg):158g/224g
- PACKING SIZE:9.5*9.5*14.5cm
- CARTON SIZE(CM):50*50*31cm
- 50PCS/CTN
- CARTON G.W./N.W(Kg):11kg/13kg

XC-400



- Ultrasonic Atomizer USB Air Humidifier
- VOLTAGE:5V
- POWER:≥5W
- ACCESSORY:USB CORD *1
- PACKAGE:BUBBLE BAG , MANUAL BOOK
- PRODUCT DIMENSION:14*14*11cm
- PRODUCT G.W./N.W(Kg):285g/383g
- PACKING SIZE:14.8*14.8*12cm
- CARTON SIZE(CM):46.5*46.5*38cm
- 27PCS/CTN
- CARTON G.W./N.W(Kg):10kg/12kg

XC-510



- Ultrasonic Atomizer with USB
- VOLTAGE:5V
- POWER:≥5W
- ACCESSORY:USB CORD *1
- PACKAGE:BUBBLE BAG , MANUAL BOOK
- PRODUCT DIMENSION:10.5*10.5*15.5cm
- PRODUCT G.W./N.W(Kg):170g/250g
- PACKING SIZE:11.5*11.5*16cm
- CARTON SIZE(CM):58*58*33cm
- 50PCS/CTN
- CARTON G.W./N.W(Kg):12kg/13kg

XC-DYC



- Ultrasonic Atomizer USB Air Humidifier
- VOLTAGE:5V
- POWER:≥5W
- ACCESSORY:USB CORD *1
- PACKAGE:BUBBLE BAG , MANUAL BOOK
- PRODUCT DIMENSION:16.5*16.5*14.5cm
- PRODUCT G.W./N.W(Kg):415g/535g
- PACKING SIZE:17*17*15.5cm
- CARTON SIZE(CM):52*52*48.5cm
- 27PCS/CTN
- CARTON G.W./N.W(Kg):14kg/16kg

XC-LMD



- Atomizer USB Air Humidifier with Bluetooth
- VOLTAGE:5V
- POWER:≥5W
- ACCESSORY:USB CORD *1
- PACKAGE:BUBBLE BAG , MANUAL BOOK
- PRODUCT DIMENSION:11.7*11.7*15.3cm
- PRODUCT G.W./N.W(Kg):250g/340g
- PACKING SIZE:12.5*12.5*16.5cm
- CARTON SIZE(CM):64*26*35cm
- 20PCS/CTN
- CARTON G.W./N.W(Kg):6.6kg/7.6kg

XC-LMF



- Atomizer USB Air Humidifier with Bluetooth
- VOLTAGE:5V
- POWER:≥5W
- ACCESSORY: USB CORD *1
- PACKAGE:BUBBLE BAG , MANUAL BOOK
- PRODUCT DIMENSION:14.2*14.2*15.2cm
- PRODUCT G.W./N.W(Kg):300g/400g
- PACKING SIZE:12.5*12.5*16.5cm
- CARTON SIZE(CM):46.5*46.5*33.5cm
- 18PCS/CTN
- CARTON G.W./N.W(Kg):4kg/5kg

Evaporative Air Cooler

Satisfy our customers with quality products and service.



YZ-5002

- Working power: 100w
- Cooling Area: 20-30M2
- Water Reservoir: 42 L
- Speed: 4
- Air flow Rate: 4000 m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: 10.0 / 12.0 KGS
- Product Dimension: 43*34*97 cm
- Packing size: 48*38*97 cm
- Carton Size : 48*38*97 cm
- Qty 40 HQ: 360



YZ-3000

- Working power: 100w
- Cooling Area: 40-50M2
- Water Reservoir: 30L
- Speed: 3
- Air flow Rate: 4000 m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: 8.0 / 9.0 KGS
- Product Dimension: 38*38*83 cm
- Packing size: 38*38*83 cm
- Carton Size : 38*38*83 cm
- Qty 40 HQ: 530



YZ-4000

- Working power: 100w
- Cooling Area: 20-30M2
- Water Reservoir: 42 L
- Speed: 4
- Air flow Rate: 4000 m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: 10.0 / 12.0 KGS
- Product Dimension: 43*34*97 cm
- Packing size: 48*38*97 cm
- Carton Size : 48*38*97 cm
- Qty 40 HQ: 360



YZ-2000

- Working power: 80w
- Cooling Area: 40-50M2
- Water Reservoir: 7L
- Speed: 3
- Air flow Rate: 3000 m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: 13.0 / 15.0 KGS
- Product Dimension: 52*37*110 cm
- Packing size: 57*42.5*107.5 cm
- Carton Size : 57*42.5*107.5 cm
- Qty 40 HQ: 250



YZ-5002

- Working power: 100w
- Cooling Area: 20-30M2
- Water Reservoir: 42 L
- Speed: 4
- Air flow Rate: 4000 m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: 10.0 / 12.0 KGS
- Product Dimension: 43*34*97 cm
- Packing size: 48*38*97 cm
- Carton Size : 48*38*97 cm
- Qty 40 HQ: 360



YZ-3000

- Working power: 100w
- Cooling Area: 40-50M2
- Water Reservoir: 30L
- Speed: 3
- Air flow Rate: 4000 m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: 8.0 / 9.0 KGS
- Product Dimension: 38*38*83 cm
- Packing size: 38*38*83 cm
- Carton Size : 38*38*83 cm
- Qty 40 HQ: 530

Evaporative Air Cooler

Satisfy our customers with quality products and service.



YZ-9500

- Working power: 165w
- Cooling Area: 20-30M2
- Water Reservoir: 60 L
- Speed: 3
- Air flow Rate: 7500 m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: 16.0 / 18.5 KGS
- Product Dimension: 58.5*40*112 cm
- Packing size: 63*43*111 cm
- Carton Size : 63*43*111 cm
- Qty 40 HQ: 230



YZ-7000

- Working power: 160w
- Cooling Area: 40-50M2
- Water Reservoir: 60 L
- Speed: 3
- Air flow Rate: 5000-6000 m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: 13.0 / 15.0 KGS
- Product Dimension: 52*37*110 cm
- Packing size: 57*42.5*107.5 cm
- Carton Size : 57*42.5*107.5 cm
- Qty 40 HQ: 247



YZ-8000

- Working power: 260w
- Cooling Area: 40-60M2
- Water Reservoir: 80 L
- Speed: 3
- Air flow Rate: 7500-8000m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: 19.5 / 22.0 KGS
- Product Dimension: 62*41*118 cm
- Packing size: 66*45*123 cm
- Carton Size : 66*45*123 cm
- Qty 40 HQ: 186



YZ-9001

- Working power: 280w
- Cooling Area: 40-60M2
- Water Reservoir: 80 L
- Speed: 3
- Air flow Rate: 8500-9000m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: 19.5 / 22.0 KGS
- Product Dimension: 62*41*118 cm
- Packing size: 66*45*123 cm
- Carton Size : 66*45*123 cm
- Qty 40 HQ: 185



YZ-16000

- Working power: 400w
- Cooling Area: 100-150M2
- Water Reservoir: 100L
- Speed: 3
- Air flow Rate: 16000 m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: N/A
- Product Dimension: 75.5 x 55 x 129 cm
- Packing size: 75.5 x 55 x 129 cm
- Carton Size : 75.5 x 55 x 129 cm
- Qty 40 HQ: 120



YZ-18000

- Working power: 580w
- Cooling Area: 100-150M2
- Water Reservoir: 135L
- Speed: 3
- Air flow Rate: 18000 m3
- Cooling Media: High Density Cooling Pad
- Total length for power cord: 2.8 M
- Net Weight/ Gross Weight: N/A
- Product Dimension: 81*54.8*144 cm
- Packing size: 81*54.8*144 cm
- Carton Size : 81*54.8*144 cm
- Qty 40 HQ: 96

Multi-functional Air fryer

Satisfy our customers with quality products and service.

BW-1012M

- Working Power: 1350W
- Voltage: 220V-50Hz
- Capacity: 5.0 L
- Temperature control 80-200 °C
- Time up to: 30 min
- Packing Size(mm): 320*320*345mm
- G.W./N.W(Kg): 4.0Kg/3.6kg
- Carton Size(mm): 650*325*705mm (4 pcs)
- G.W./N.W(Kg): 15.4Kg/14.4kg
- Rapid air circulate system fry food faster and save energy
- Healthy way for fry without oil and less fat 80%
- Over-heat protection
- Cool-touch housing and handle



EL-5

- Working Power: 1350W
- Voltage: 220V-50Hz
- Capacity: 4.5L
- Temperature control 80-200 °C
- Time up to: 30 min
- Packing Size(mm): 320*320*345mm
- G.W./N.W(Kg): 4.0Kg/3.6kg
- Carton Size(mm): 650*325*705mm (4 pcs)
- G.W./N.W(Kg): 15.4Kg/14.4kg
- Rapid air circulate system fry food faster and save energy
- Healthy way for fry without oil and less fat 80%
- Over-heat protection
- Cool-touch housing and handle



BW-1012D

- Working Power: 1350W
- Voltage: 220V-50Hz
- Capacity: 5.0 L
- Temperature control 80-200 °C
- Time up to: 30 min
- Packing Size(mm): 320*320*345mm
- G.W./N.W(Kg): 4.0Kg/3.6kg
- Carton Size(mm): 650*325*705mm(4 pcs)
- G.W./N.W(Kg): 15.4Kg/14.4kg
- Rapid air circulate system fry food faster and save energy
- Healthy way for fry without oil and less fat 80%
- Over-heat protection
- Cool-touch housing and handle



HD-ZG002M

- Working Power: 1500W
- Voltage: 220-240V
- Frequency: 50 / 60 Hz
- Capacity: 5.0 L
- Temperature control 80-200 °C
- Time up to: 30 min
- Loading Qty: 624pcs/ 20GP
- Loading Qty: 1326pcs/ 40HQ
- Rapid air circulate system fry food faster and save energy
- Healthy way for fry without oil and less fat 80%
- Over-heat protection
- Cool-touch housing and handle



EL-1

- Working Power: 1500W
- Voltage: 220V-50Hz
- Capacity: 5.0 L
- Temperature control 80-200 °C
- Time up to: 30 min
- Packing Size(mm):500*500*1260 mm
- G.W./N.W(Kg): 5.2Kg/7.4kg
- Rapid air circulate system fry food faster and save energy
- Healthy way for fry without oil and less fat 80%
- Over-heat protection
- Cool-touch housing and handle

Multi-functional Air fryer

Satisfy our customers with quality products and service.

HD-ZG001E

- Working Power: 1400W
- Voltage: 220-240V
- Frequency: 50 / 60 Hz
- Capacity: 4.0 L
- Temperature control 80-200 °C
- Time up to: 30 min
- Loading Qty: 833 pcs / 20 GP
- Loading Qty: 1764 pcs / 40 HQ
- Rapid air circulate system fry food faster and save energy
- Healthy way for fry without oil and less fat 80%
- Over-heat protection
- Cool-touch housing and handle



EL-3

- Working Power: 1100W
- Voltage: 220V-50Hz
- Capacity: 5.0 L
- Temperature control 80-200 °C
- Time up to: 30 min
- Packing Size(mm):500*500*1260 mm
- G.W./N.W(Kg): 4.59Kg/6kg
- Rapid air circulate system fry food faster and save energy
- Healthy way for fry without oil and less fat 80%
- Over-heat protection
- Cool-touch housing and handle



HD-ZG001M

- Working Power: 1400W
- Voltage: 220-240V
- Frequency: 50 / 60 Hz
- Capacity: 4.0 L
- Temperature control 80-200 °C
- Time up to: 30 min
- Loading Qty: 833 pcs / 20 GP
- Loading Qty: 1764 pcs / 40 HQ
- Rapid air circulate system fry food faster and save energy
- Healthy way for fry without oil and less fat 80%
- Over-heat protection
- Cool-touch housing and handle



BW-1012H

- Working Power: 1000W
- Voltage: 220V-50Hz
- Capacity: 3.2L
- Temperature control 80-200 °C
- Time up to: 30 min
- Packing Size(mm): 280*280*310mm
- G.W./N.W(Kg): 2.9 Kg/2.5 kg
- Rapid air circulate system fry food faster and save energy
- Healthy way for fry without oil and less fat 80%
- Over-heat protection
- Cool-touch housing and handle



HD-ZG002E

- Working Power: 1500W
- Voltage: 220-240V
- Frequency: 50 / 60 Hz
- Capacity: 5.0 L
- Temperature control 80-200 °C
- Time up to: 30 min
- Loading Qty: 624pcs/ 20GP
- Loading Qty: 1326pcs/ 40HQ
- Rapid air circulate system fry food faster and save energy
- Healthy way for fry without oil and less fat 80%
- Over-heat protection
- Cool-touch housing and handle